

# Darlington Health Profile 2021/2022

Health and Housing Scrutiny Committee  
2<sup>nd</sup> November 2022

Ken Ross  
Public Health Principal



**DARLINGTON**  
Borough Council


# What are Local Health Profiles?

- The Local Authority Health Profiles provide an overview of health for each local authority in England. They pull together existing information in one place and contain data on a range of indicators for local populations, highlighting issues that can affect health in each locality.
- This profile gives a picture of people's health in Darlington. It is designed to act as a 'conversation starter', to help local us understand our community's needs, so that they can work together to improve people's health and reduce health inequalities.
- It is not a performance document. For example an area can show that they have fewer deaths than average due to smoking – but the data shows that lots of people a year could still be dying from smoking in this area and reducing smoking could still be a local priority.

# Domains of the Health Profile

- The Health Profiles are composed of 42 separate indicators across 7 domains.
  - Each indicator shows the Darlington value and how this compares to Region and England as whole.
  - Each indicator also shows if there is a statistical difference between Darlington
  - It also shows where there is a change from previous years
1. Life expectancy and causes of death
  2. Injuries and ill health
  3. Behavioural risk factors
  4. Child Health
  5. Inequalities
  6. Wider determinants of health
  7. Health protection

# How do we compare?



# Compared to England

Half of all indicators (21) worse than England average

One indicator better than England average

| Indicator   | Period              | Darlington   |        |       | Region England |       |       | England   |      |         |
|---|---------------------|--------------|--------|-------|----------------|-------|-------|---|------|---------|
|   |                     | Recent Trend | Count  | Value | Value          | Value | Worst | Range   | Best |         |
| <b>Life expectancy and causes of death</b>  |                     |              |        |       |                |       |       |   |      |         |
| Life expectancy at birth (Male, 3 year range)   | 2018 - 20           | -            | -      | 78.1  | 77.6           | 79.4  | 74.1  |   |      |         |
| Life expectancy at birth (Male, 1 year range)   | 2020                | -            | -      | 76.7  | 76.9           | 78.7  | 73.6  |   |      |         |
| Life expectancy at birth (Female, 3 year range)   | 2018 - 20           | -            | -      | 81.2  | 81.5           | 83.1  | 79.0  |   |      |         |
| Life expectancy at birth (Female, 1 year range)   | 2020                | -            | -      | 80.9  | 80.9           | 82.6  | 78.0  |   |      |         |
| Under 75 mortality rate from all causes (3 year range)  | 2018 - 20           | -            | 1,212  | 401.0 | 403.5          | 336.5 | 570.7 |   |      | 221.0   |
| Under 75 mortality rate from all causes (1 year range)  | 2020                | ↗            | 443    | 436.9 | 425.6          | 358.5 | 622.8 |   |      | 205.8   |
| Under 75 mortality rate from all cardiovascular diseases (3 year range)   | 2017 - 19           | -            | 223    | 74.3  | 82.1           | 70.4  | 121.6 |   |      | 43.6    |
| Under 75 mortality rate from all cardiovascular diseases (1 year range)   | 2020                | ↗            | 88     | 87.1  | 83.9           | 73.8  | 137.1 |   |      | 36.1    |
| Under 75 mortality rate from cancer (3 year range)  | 2017 - 19           | -            | 413    | 137.4 | 149.0          | 129.2 | 162.4 |   |      | 7.4     |
| Under 75 mortality rate from cancer (1 year range)  | 2020                | ↗            | 165    | 160.9 | 144.0          | 125.1 | 167.1 |   |      | 3       |
| Suicide rate  | 2018 - 20           | -            | -      | 12.4  | 12.4           | 10.4  | 18.8  |   |      | 5.0     |
| <b>Injuries and ill health</b>  |                     |              |        |       |                |       |       |   |      |         |
| Killed and seriously injured (KSI) casualties on England's roads  | 2020                | -            | 30     | 65.6  | 71.4*          | 86.1* | 433.9 |   |      | 24.1    |
| Emergency Hospital Admissions for Intentional Self-Harm   | 2020/21             | ↗            | 305    | 300.5 | 273.9          | 181.2 | 471.7 |   |      | 41.5    |
| Hip fractures in people aged 65 and over  | 2020/21             | ↗            | 145    | 643   | 596            | 529   | 723   |   |      |         |
| Percentage of cancers diagnosed at stages 1 and 2   | 2019                | ↗            | 268    | 56.4% | 52.8%          | 55.0% | -     | Insufficient number of values for a spine chart |      |         |
| Estimated diabetes diagnosis rate   | 2018                | -            | -      | 85.9% | 82.5%          | 78.0% | 54.3% |   |      | 3%      |
| Estimated dementia diagnosis rate (aged 65 and over) (significantly)  | 2022                | ↗            | 915    | 65.1% | 66.6%          | 62.0% | 50.3% |   |      | < 66.7% |
| <b>Behavioural risk factors</b>   |                     |              |        |       |                |       |       |   |      |         |
| Admission episodes for alcohol-specific conditions - Under 18s  | 2018/19 - 20/21     | -            | 30     | 44.4  | 52.0           | 29.3  | 83.8  |   |      | 7.7     |
| Admission episodes for alcohol-related conditions (Narrow) New method. This indicator uses a new set of attributable fractions, and so differ from that originally published. | 2020/21             | ↗            | 567    | 552   | 650            | 456   | 805   |   |      | 251     |
| Smoking Prevalence in adults (18+) - current smokers (APS)  | 2019                | -            | -      | 13.7% | 15.3%          | 13.9% | 23.4% |   |      | 8.0%    |
| Smoking Prevalence in adults (18+) - current smokers (APS) (2020 definition)  | 2020                | -            | -      | 13.5% | 13.6%          | 12.1% | 20.8% |   |      | 5%      |
| Percentage of physically active adults  | 2020/21             | -            | -      | 61.0% | 63.5%          | 65.9% | 48.8% |   |      | 76.5%   |
| Percentage of adults (aged 18+) classified as overweight or obese   | 2020/21             | -            | -      | 72.5% | 69.7%          | 63.5% | 76.3% |   |      |         |
| <b>Child health</b>   |                     |              |        |       |                |       |       |   |      |         |
| Under 18s conception rate / 1,000   | 2020                | ↗            | -      | 16.8  | 18.6           | 13.0  | 30.4  |   |      | 2.7     |
| Smoking status at time of delivery  | 2020/21             | ↗            | -      | 14.4% | 13.3%          | 9.6%  | 21.4% |   |      | 1.8%    |
| Baby's first feed breastmilk  | 2018/19             | -            | 565    | 53.3% | 50.6%          | 67.4% | 43.6% |   |      |         |
| Infant mortality rate   | 2018 - 20           | -            | 16     | 5.0   | 3.5            | 3.9   | 6.8   |   |      | 1.7     |
| Year 6: Prevalence of obesity (including severe obesity)  | 2019/20             | ↗            | -      | 22.5% | 23.2%          | 21.0% | 30.1% |   |      |         |
| <b>Inequalities</b>   |                     |              |        |       |                |       |       |   |      |         |
| Deprivation score (IMD 2019)  | 2019                | -            | -      | 25.7  | 28.0           | 21.7  | 45.0  |   |      | 5.8     |
| Smoking prevalence in adults in routine and manual occupations (18-64) - current smokers (APS)  | 2019                | -            | -      | 27.1% | 24.3%          | 24.5% | 36.8% |   |      |         |
| Smoking prevalence among adults aged 18-64 in routine and manual occupations (APS) (2020 definition)  | 2020                | -            | -      | 25.7% | 21.6%          | 21.4% | 40.3% |   |      | 7.9%    |
| Inequality in life expectancy at birth (Male)   | 2018 - 20           | -            | -      | 13.0  | 12.5           | 9.7   | 17.0  |   |      |         |
| Inequality in life expectancy at birth (Female)   | 2018 - 20           | -            | -      | 10.6  | 10.0           | 7.9   | 13.9  |   |      |         |
| <b>Wider determinants of health</b>   |                     |              |        |       |                |       |       |   |      |         |
| Children in relative low income families (under 16s)  | 2020/21             | ↑            | 5,732  | 28.5% | 29.6%          | 18.5% | 42.4% |   |      | 6.2%    |
| Children in absolute low income families (under 16s)  | 2020/21             | ↑            | 5,194  | 25.8% | 27.1%          | 15.1% | 39.2% |   |      | 5.2%    |
| Average Attainment 8 score  | 2020/21             | -            | 57,218 | 50.0  | 49.3           | 50.9  | 42.9  |   |      |         |
| Percentage of people in employment  | 2020/21             | ↗            | 46,500 | 73.1% | 71.2%          | 75.1% | 63.2% |   |      | 3%      |
| Homelessness - households owed a duty under the Homelessness Reduction Act  | 2020/21             | -            | 711    | 14.7  | 12.5           | 11.3  | 26.6  |   |      | 2.7     |
| Violent crime - hospital admissions for violence (including sexual violence)  | 2018/19 - 20/21     | -            | 155    | 52.2  | 60.0           | 41.9  | 116.8 |   |      | 12.0    |
| <b>Health protection</b>  |                     |              |        |       |                |       |       |   |      |         |
| Excess winter deaths index  | Aug 2019 - Jul 2020 | -            | 80     | 21.8% | 14.1%          | 17.4% | 50.2% |   |      | 0.7%    |
| New STI diagnoses (excluding chlamydia aged under 25) per 100,000 <small>How data</small>   | 2020                | -            | -      | -     | -              | -     | -     |   |      | -       |
| TB incidence (three year average)   | 2018 - 20           | -            | 16     | 5.0   | 3.5            | 8.0   | 43.1  |   |      | 0.6     |



# Compared to the North East

One indicator is worse than NE average  
 3 indicators better than NE average

| Indicator   | Period              | Darlington   |        |       | Region England |       | North East |       |       |
|---|---------------------|--------------|--------|-------|----------------|-------|------------|-------|-------|
|   |                     | Recent Trend | Count  | Value | Value          | Value | Worst      | Range | Best  |
| <b>Life expectancy and causes of death</b>  |                     |              |        |       |                |       |            |       |       |
| Life expectancy at birth (Male, 3 year range)   | 2018 - 20           | -            | -      | 78.1  | 77.6           | 79.4  | 75.4       |       | 79.3  |
| Life expectancy at birth (Male, 1 year range)   | 2020                | -            | -      | 76.7  | 76.9           | 78.7  | 74.6       |       |       |
| Life expectancy at birth (Female, 3 year range)   | 2018 - 20           | -            | -      | 81.2  | 81.5           | 83.1  | 79.8       |       | 2.9   |
| Life expectancy at birth (Female, 1 year range)   | 2020                | -            | -      | 80.9  | 80.9           | 82.6  | 79.0       |       |       |
| Under 75 mortality rate from all causes (3 year range)  | 2018 - 20           | -            | 1,212  | 401.0 | 403.5          | 395.5 | 493.9      |       | 0.0   |
| Under 75 mortality rate from all causes (1 year range)  | 2020                | →            | 443    | 436.9 | 425.6          | 358.5 | 521.0      |       |       |
| Under 75 mortality rate from all cardiovascular diseases (3 year range)   | 2017 - 19           | -            | 223    | 74.3  | 82.1           | 70.4  | 100.8      |       | 69.9  |
| Under 75 mortality rate from all cardiovascular diseases (1 year range)   | 2020                | →            | 88     | 87.1  | 83.9           | 73.8  | 103.0      |       | 69.6  |
| Under 75 mortality rate from cancer (3 year range)  | 2017 - 19           | -            | 413    | 137.4 | 149.0          | 129.2 | 175.1      |       | 0     |
| Under 75 mortality rate from cancer (1 year range)  | 2020                | →            | 165    | 160.9 | 144.0          | 125.1 | 167.1      |       | 0     |
| Suicide rate  | 2018 - 20           | -            | -      | 12.4  | 12.4           | 10.4  | 17.4       |       | 0     |
| <b>Injuries and ill health</b>  |                     |              |        |       |                |       |            |       |       |
| Killed and seriously injured (KSI) casualties on England's roads  | 2020                | -            | 30     | 65.6  | 71.4*          | 86.1* | 99.2       |       | 50.8  |
| Emergency Hospital Admissions for Intentional Self-Harm   | 2020/21             | →            | 305    | 300.5 | 273.9          | 181.2 | 471.7      |       | 183.0 |
| Hip fractures in people aged 65 and over  | 2020/21             | →            | 145    | 643   | 596            | 529   | 687        |       | 542   |
| Percentage of cancers diagnosed at stages 1 and 2   | 2019                | →            | 266    | 56.4% | 52.6%          | 55.0% | 50.1%      |       | 66.1% |
| Estimated diabetes diagnosis rate   | 2018                | -            | -      | 85.9% | 82.5%          | 78.0% | 78.6%      |       | 66.1% |
| Estimated dementia diagnosis rate (aged 65 and over)  | 2022                | →            | 915    | 65.1% | 66.6%          | 62.0% | 60.0%      |       |       |
| <b>Behavioural risk factors</b>   |                     |              |        |       |                |       |            |       |       |
| Admission episodes for alcohol-specific conditions - Under 18s  | 2018/19 - 20/21     | -            | 30     | 44.4  | 52.0           | 29.3  | 83.8       |       | 9     |
| Admission episodes for alcohol-related conditions (Narrow): New method. This indicator uses a new set of attributable fractions, and so differ from that originally published | 2020/21             | →            | 587    | 552   | 650            | 456   | 800        |       | 326   |
| Smoking Prevalence in adults (18+) - current smokers (AFS)  | 2019                | -            | -      | 13.7% | 15.3%          | 13.9% | 19.3%      |       | 12.9% |
| Smoking Prevalence in adults (18+) - current smokers (AFS) (2020 definition)  | 2020                | -            | -      | 13.5% | 13.6%          | 12.1% | 15.9%      |       |       |
| Percentage of physically active adults  | 2020/21             | -            | -      | 61.0% | 63.5%          | 65.9% | 51.3%      |       | 70.1% |
| Percentage of adults (aged 18+) classified as overweight or obese   | 2020/21             | -            | -      | 72.5% | 69.7%          | 63.5% | 75.8%      |       | 65.9% |
| <b>Child health</b>   |                     |              |        |       |                |       |            |       |       |
| Under 18s conception rate / 1,000   | 2020                | →            | -      | 16.8  | 18.6           | 13.0  | 30.4       |       | 13.5  |
| Smoking status at time of delivery  | 2020/21             | →            | -      | 14.4% | 13.3%          | 9.6%  | 15.5%      |       |       |
| Baby's first feed breastmilk  | 2018/19             | -            | 565    | 53.3% | 50.6%          | 67.4% | 48.0%      |       |       |
| Infant mortality rate   | 2018 - 20           | -            | 16     | 5.0   | 3.5            | 3.9   | 5.0        |       | 1     |
| Year 6: Prevalence of obesity (including severe obesity)  | 2019/20             | →            | -      | 22.5% | 23.2%          | 21.0% | 27.0%      |       |       |
| <b>Inequalities</b>   |                     |              |        |       |                |       |            |       |       |
| Deprivation score (IMD 2019)  | 2019                | -            | -      | 25.7  | 28.0           | 21.7  | 40.5       |       | 22.1  |
| Smoking prevalence in adults in routine and manual occupations (18-64) - current smokers (AFS)  | 2019                | -            | -      | 27.1% | 24.3%          | 24.5% | 29.8%      |       |       |
| Smoking prevalence among adults aged 18-64 in routine and manual occupations (AFS) (2020 definition)  | 2020                | -            | -      | 25.7% | 21.6%          | 21.4% | 28.2%      |       |       |
| Inequality in life expectancy at birth (Male)   | 2016 - 20           | -            | -      | 13.0  | 12.5           | 9.7   | 14.5       |       |       |
| Inequality in life expectancy at birth (Female)   | 2016 - 20           | -            | -      | 10.6  | 10.0           | 7.9   | 13.9       |       | 7.3   |
| <b>Wider determinants of health</b>   |                     |              |        |       |                |       |            |       |       |
| Children in relative low income families (under 16s)  | 2020/21             | ↑            | 5,732  | 28.5% | 29.6%          | 18.5% | 42.4%      |       | 23.9% |
| Children in absolute low income families (under 16s)  | 2020/21             | ↑            | 5,194  | 25.8% | 27.1%          | 15.1% | 39.2%      |       | 21.8% |
| Average Attainment 8 score  | 2020/21             | -            | 57,218 | 50.0  | 49.3           | 50.9  | 46.6       |       | 50.6  |
| Percentage of people in employment  | 2020/21             | →            | 46,500 | 73.1% | 71.2%          | 75.1% | 64.2%      |       | 74.8% |
| Homelessness - households owed a duty under the Homelessness Reduction Act  | 2020/21             | -            | 711    | 14.7  | 12.5           | 11.3  | 26.4       |       | 4.5   |
| Violent crime - hospital admissions for violence (including sexual violence)  | 2018/19 - 20/21     | -            | 155    | 52.2  | 60.0           | 41.9  | 76.1       |       | 7.0   |
| <b>Health protection</b>  |                     |              |        |       |                |       |            |       |       |
| Excess winter deaths index  | Aug 2019 - Jul 2020 | -            | 80     | 21.8% | 14.1%          | 17.4% | 23.6%      |       | 7%    |
| New STI diagnoses (excluding chlamydia aged under 25) per 100,000 <span style="color: green;">New data</span>   | 2020                | -            | -      | -     | -              | -     | -          |       | -     |
| TB incidence (three year average)   | 2016 - 20           | -            | 16     | 5.0   | 3.5            | 8.0   | 9.5        |       | 0.8   |

# The Health Profile in Summary

The health of people in Darlington is varied compared with the England average. Half (21) of all the indicators are worse than England with the other half statistically similar or better than England.

## Some key points

- Life expectancy is 13.0 years lower for men and 10 years lower for women in the most deprived areas of Darlington than in the least deprived areas and continues to widen.
- About 28.5%(5,732) children live in low income families. This is worse than England
- In Year 6, 22.5% of children are classified as obese. This is similar to England
- Levels of smoking in pregnancy remain worse than the England average.
- The rate for alcohol-related harm hospital admissions is 552 per 100,000 This represents 587 admissions per year. This is worse for England
- Estimated levels of excess weight in adults (aged 18+) and physically active adults (aged 19+) are worse than the England average.
- Diabetes diagnosis rate is 85.9% This is better than England
- The rate of excess winter deaths and new cases of tuberculosis is similar to the England average.

# Commentary

- The health of people in Darlington is varied compared with the England average.
- There are broad social and economic circumstances that together influence health throughout the life course are known as the 'social determinants of health'.
- However, it is important to note that the social factors are not the only causes of ill health, they are the complementary causes.
- Darlington Profile is more similar to the North East Regional average which reflects the social, economic, historical, cultural and environmental circumstances that our residents live and work in.



# Detail of by Domain


Compared to the England

# 1. Life Expectancy and Causes of Death

| Indicator   | Period    | Darlington   |       | Region England |       |       | England |       |       |
|---|-----------|--------------|-------|----------------|-------|-------|---------|-------|-------|
|   |           | Recent Trend | Count | Value          | Value | Value | Worst   | Range | Best  |
| Life expectancy at birth (Male, 3 year range)                           | 2018 - 20 | —            | -     | 78.1           | 77.6  | 79.4  | 74.1    |       |       |
| Life expectancy at birth (Male, 1 year range)                           | 2020      | —            | -     | 76.7           | 76.9  | 78.7  | 73.6    |       | 3     |
| Life expectancy at birth (Female, 3 year range)                         | 2018 - 20 | —            | -     | 81.2           | 81.5  | 83.1  | 79.0    |       |       |
| Life expectancy at birth (Female, 1 year range)                         | 2020      | —            | -     | 80.9           | 80.9  | 82.6  | 78.0    |       |       |
| Under 75 mortality rate from all causes (3 year range)                  | 2018 - 20 | —            | 1,212 | 401.0          | 403.5 | 336.5 | 570.7   |       | 221.0 |
| Under 75 mortality rate from all causes (1 year range)                  | 2020      | ➔            | 443   | 436.9          | 425.6 | 358.5 | 622.8   |       | 205.8 |
| Under 75 mortality rate from all cardiovascular diseases (3 year range) | 2017 - 19 | —            | 223   | 74.3           | 82.1  | 70.4  | 121.6   |       | 43.6  |
| Under 75 mortality rate from all cardiovascular diseases (1 year range) | 2020      | ➔            | 88    | 87.1           | 83.9  | 73.8  | 137.1   |       | 36.1  |
| Under 75 mortality rate from cancer (3 year range)                      | 2017 - 19 | —            | 413   | 137.4          | 149.0 | 129.2 | 182.4   |       | 77.4  |
| Under 75 mortality rate from cancer (1 year range)                      | 2020      | ➔            | 165   | 160.9          | 144.0 | 125.1 | 187.1   |       | 3     |
| Suicide rate  | 2018 - 20 | —            | -     | 12.4           | 12.4  | 10.4  | 18.8    |       | 5.0   |

● Better 95%   ● Similar   ● Worse 95%   ○ Not applicable   
 Quintiles: Best ○ ○ ○ ○ ○ Worst   ○ Not applicable


Recent trends: — Could not be calculated   ➔ No significant change   ⬆ Increasing & getting worse   ⬆ Increasing & getting better   ⬇ Decreasing & getting worse   ⬇ Decreasing & getting better   ⬆ Increasing   ⬇ Decreasing



# Injuries and Ill Health

| Indicator  | Period  | Darlington   |       | Region England |       |       |       | England  |       |
|--|---------|--------------|-------|----------------|-------|-------|-------|--|-------|
|  |         | Recent Trend | Count | Value          | Value | Value | Worst | Range  | Best  |
| Killed and seriously injured (KSI) casualties on England's roads | 2020    | —            | 30    | 65.6           | 71.4* | 86.1* | 433.9 |  | 24.1  |
| Emergency Hospital Admissions for Intentional Self-Harm          | 2020/21 | ➔            | 305   | 300.5          | 273.9 | 181.2 | 471.7 |  | 41.5  |
| Hip fractures in people aged 65 and over                         | 2020/21 | ➔            | 145   | 643            | 596   | 529   | 723   |  | 315   |
| Percentage of cancers diagnosed at stages 1 and 2                | 2019    | ➔            | 268   | 56.4%          | 52.6% | 55.0% | -     | <i>Insufficient number of values for a spine chart</i> | -     |
| Estimated diabetes diagnosis rate                                | 2018    | —            | -     | 85.9%          | 82.5% | 78.0% | 54.3% |  | 97.5% |
| Estimated dementia diagnosis rate (aged 65 and over)             | 2022    | ➔            | 915   | 65.1%          | 66.6% | 62.0% | 50.3% |  | 82.4% |

> 66.7% (significantly)    similar to 66.7%    < 66.7% (significantly)




# Behavioural Risk Factors

| Indicator  | Period          | Darlington   |       |       | Region England |       | England |       |       |
|--|-----------------|--------------|-------|-------|----------------|-------|---------|-------|-------|
|  |                 | Recent Trend | Count | Value | Value          | Value | Worst   | Range | Best  |
| Admission episodes for alcohol-specific conditions - Under 18s   | 2018/19 - 20/21 | —            | 30    | 44.4  | 52.0           | 29.3  | 83.8    |       | 7.7   |
| Admission episodes for alcohol-related conditions (Narrow): New method. This indicator uses a new set of attributable fractions, and so differ from that originally published. | 2020/21         | ➔            | 587   | 552   | 650            | 456   | 805     |       | 251   |
| Smoking Prevalence in adults (18+) - current smokers (APS)   | 2019            | —            | -     | 13.7% | 15.3%          | 13.9% | 23.4%   |       | 8.0%  |
| Smoking Prevalence in adults (18+) - current smokers (APS) (2020 definition)   | 2020            | —            | -     | 13.5% | 13.6%          | 12.1% | 20.8%   |       | 12.1% |
| Percentage of physically active adults   | 2020/21         | —            | -     | 61.0% | 63.5%          | 65.9% | 48.8%   |       | 76.5% |
| Percentage of adults (aged 18+) classified as overweight or obese  | 2020/21         | —            | -     | 72.5% | 69.7%          | 63.5% | 76.3%   |       | 63.5% |

● Better 95% ● Similar ● Worse 95% ○ Not applicable

Quintiles: Best ○ ○ ○ ○ Worst ○ Not applicable

Recent trends: — Could not be calculated ➔ No significant change ↑ Increasing & getting worse ↑ Increasing & getting better ↓ Decreasing & getting worse ↓ Decreasing & getting better ↑ Increasing ↓ Decreasing



# Child Health

| Indicator  | Period    | Recent Trend | Darlington |       | Region England |       | Worst | England |      |
|--|-----------|--------------|------------|-------|----------------|-------|-------|---------|------|
|  |           |              | Count      | Value | Value          | Value |       | Range   | Best |
| Under 18s conception rate / 1,000                        | 2020      | ➔            | -          | 16.8  | 18.6           | 13.0  | 30.4  |         | 2.7  |
| Smoking status at time of delivery                       | 2020/21   | ➔            | -          | 14.4% | 13.3%          | 9.6%  | 21.4% |         | 1.8% |
| Baby's first feed breastmilk                             | 2018/19   | -            | 565        | 53.3% | 50.6%          | 67.4% | 43.6% |         |      |
| Infant mortality rate                                    | 2018 - 20 | -            | 16         | 5.0   | 3.5            | 3.9   | 6.8   |         | 1.7  |
| Year 6: Prevalence of obesity (including severe obesity) | 2019/20   | ➔            | -          | 22.5% | 23.2%          | 21.0% | 30.1% |         |      |




# Inequalities

| Indicator  | Period    | Darlington   |       |       | Region England |       | England |       |      |
|--|-----------|--------------|-------|-------|----------------|-------|---------|-------|------|
|  |           | Recent Trend | Count | Value | Value          | Value | Worst   | Range | Best |
| Deprivation score (IMD 2019)   | 2019      | —            | -     | 25.7  | 28.0           | 21.7  | 45.0    |       | 5.8  |
| Smoking prevalence in adults in routine and manual occupations (18-64) - current smokers (APS)       | 2019      | —            | -     | 27.1% | 24.3%          | 24.5% | 36.8%   |       |      |
| Smoking prevalence among adults aged 18-64 in routine and manual occupations (APS) (2020 definition) | 2020      | —            | -     | 25.7% | 21.6%          | 21.4% | 40.3%   |       | 7.9% |
| Inequality in life expectancy at birth (Male)  | 2018 - 20 | —            | -     | 13.0  | 12.5           | 9.7   | 17.0    |       |      |
| Inequality in life expectancy at birth (Female)  | 2018 - 20 | —            | -     | 10.6  | 10.0           | 7.9   | 13.9    |       |      |

● Better 95% ● Similar ● Worse 95% ○ Not applicable

Quintiles: Best ○ ○ ○ ○ Worst ○ Not applicable

Recent trends: — Could not be calculated → No significant change ↑ Increasing & getting worse ↑ Increasing & getting better ↓ Decreasing & getting worse ↓ Decreasing & getting better ↑ Increasing ↓ Decreasing




# Wider Determinants of Health

| Indicator  | Period          | Darlington   |        |       | Region England |       | England |       |      |
|--|-----------------|--------------|--------|-------|----------------|-------|---------|-------|------|
|  |                 | Recent Trend | Count  | Value | Value          | Value | Worst   | Range | Best |
| Children in relative low income families (under 16s)                         | 2020/21         | ↑            | 5,732  | 28.5% | 29.6%          | 18.5% | 42.4%   |       | 6.2% |
| Children in absolute low income families (under 16s)                         | 2020/21         | ↑            | 5,194  | 25.8% | 27.1%          | 15.1% | 39.2%   |       | 5.2% |
| Average Attainment 8 score   | 2020/21         | —            | 57,218 | 50.0  | 49.3           | 50.9  | 42.9    |       |      |
| Percentage of people in employment   | 2020/21         | →            | 46,500 | 73.1% | 71.2%          | 75.1% | 63.2%   |       | .3%  |
| Homelessness - households owed a duty under the Homelessness Reduction Act   | 2020/21         | —            | 711    | 14.7  | 12.5           | 11.3  | 26.6    |       | 2.7  |
| Violent crime - hospital admissions for violence (including sexual violence) | 2018/19 - 20/21 | —            | 155    | 52.2  | 60.0           | 41.9  | 116.8   |       | 12.0 |

● Better 95%   
 ● Similar   
 ● Worse 95%   
 ○ Not applicable   
 Quintiles: Best ○ ○ ○ ○ ○ Worst   
 ○ Not applicable

Recent trends: — Could not be calculated   
 → No significant change   
 ↑ Increasing & getting worse   
 ↑ Increasing & getting better   
 ↓ Decreasing & getting worse   
 ↓ Decreasing & getting better   
 ↑ Increasing   
 ↓ Decreasing



# Health Protection

| Indicator  | Period              | Darlington   |       | Region England |       | England |       |       |      |
|--|---------------------|--------------|-------|----------------|-------|---------|-------|-------|------|
|  |                     | Recent Trend | Count | Value          | Value | Value   | Worst | Range | Best |
| Excess winter deaths index   | Aug 2019 - Jul 2020 | —            | 80    | 21.8%          | 14.1% | 17.4%   | 50.2% |       | 0.7% |
| New STI diagnoses (excluding chlamydia aged under 25) per 100,000 <span style="background-color: #28a745; color: white; padding: 2px;">New data</span> | 2020                | —            | -     | -              | -     | -       | -     | -     | -    |
| TB incidence (three year average)  | 2018 - 20           | —            | 16    | 5.0            | 3.5   | 8.0     | 43.1  |       | 0.6  |

● Better 95%  
 ● Similar  
 ● Worse 95%  
 ○ Not applicable  
 Quintiles: Best ● ● ● ● ● Worst  
 ○ Not applicable

Recent trends: — Could not be calculated  
 → No significant change  
 ↑ Increasing & getting worse  
 ↑ Increasing & getting better  
 ↓ Decreasing & getting worse  
 ↓ Decreasing & getting better  
 ↑ Increasing  
 ↓ Decreasing

